

Fever control
Alternate Tylenol and Advil every 3 hours.

Tylenol PM
Combine 1 Tylenol and 1 Benadryl

Place on back of lid

TYLENOL

acetaminophen
500 mg
Dose: 1 - 2 tablets
every 6 hrs
Max 24hr: 4,000 mg

ALEVE

naproxen
220 mg
1st Dose: 1 - 2 tablet
Dose: 1 tablet / 12 hr
Max 24hr: 3 tablets

ZYRTEC

cetirizine HCl
10 mg
Dose: 1 tablets
every day
Max 24hr: 1 tablet

SUDAFED

pseudoephedrine HC
30 mg
Dose: 2 tablets
every 4 - 6 hrs
Max 24hr: 8 tablets

**Dramamine
ORIGINAL**

dimehydrinate
50 mg
Dose: 1 - 2 tablet
every 4 - 6 hours
Max 24hr: 8 tablet

GasX

Zofran

Ondansetron
8 mg
Dose: 1 tablet
every 8 hrs
Max 24hr: 3 tablets

**Dramamine®
LESS DROWSY**

Benadryl

diphenhydramine HCl
25 mg
Dose: 1 - 2 tablets
every 4 - 6 hrs
Max 24hr: 6 tablets

Imodium

loperamide
2 mg
1st Dose: 2 tablets after 1st loose stool
Dose: 1 tablet after each loose stool
Max 24hr: 8 mg (4 tablets)

TUMS

calcium carbonate
750 mg
Dose: 2 - 3 tablets
as symptoms occur
Max 24hr: 7 tablets

Advil

ibuprofen
200 mg

Dose: 1 tablet
every 4 - 6 hrs
Max 24hr: 1,200 mg